



STATE WATER RESOURCES CONTROL BOARD  
REGIONAL WATER QUALITY CONTROL BOARDS



CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

**CERTIFICATE OF ENVIRONMENTAL ACCREDITATION**

Is hereby granted to

**BSK Associates - San Bernardino**

**Analytical Laboratory**

350 E. Commercial Road

San Bernardino, CA 92408

Scope of the certificate is limited to the  
"Fields of Testing"  
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site inspection,  
proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of  
Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **2993**

Expiration Date: **5/31/2022**

Effective Date: **6/1/2020**

A handwritten signature in blue ink, appearing to read "Christine Sotelo".

Sacramento, California  
subject to forfeiture or revocation

Christine Sotelo, Chief  
Environmental Laboratory Accreditation Program



**CALIFORNIA STATE  
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM  
Accredited Fields of Testing**



**BSK Associates - San Bernardino**

Analytical Laboratory  
350 E. Commercial Road  
San Bernardino, CA 92408  
Phone: 9097962059

**Certificate No. 2993  
Expiration Date 5/31/2022**

**Field of Testing: 101 - Microbiology of Drinking Water**

|             |                              |                       |
|-------------|------------------------------|-----------------------|
| 101.010 001 | Heterotrophic Bacteria       | SM 9215 B             |
| 101.020 004 | Total Coliform (Enumeration) | SM 9221 B,C           |
| 101.020 005 | Fecal Coliform (Enumeration) | SM 9221 B,E           |
| 101.020 006 | E. coli (Enumeration)        | SM 9221 B,F           |
| 101.050 005 | Total Coliform P/A           | SM 9223 B Colilert 18 |
| 101.050 006 | E. coli P/A                  | SM 9223 B Colilert 18 |
| 101.050 007 | Total Coliform (Enumeration) | SM 9223 B Colilert 18 |
| 101.050 008 | E. coli (Enumeration)        | SM 9223 B Colilert 18 |

**Field of Testing: 102 - Inorganic Chemistry of Drinking Water**

|             |                          |                   |
|-------------|--------------------------|-------------------|
| 102.030 003 | Chloride                 | EPA 300.0         |
| 102.030 005 | Fluoride                 | EPA 300.0         |
| 102.030 006 | Nitrate (as N)           | EPA 300.0         |
| 102.030 007 | Nitrite (as N)           | EPA 300.0         |
| 102.030 008 | Phosphate,Ortho (as P)   | EPA 300.0         |
| 102.030 009 | Sulfate (as SO4)         | EPA 300.0         |
| 102.095 001 | Turbidity                | SM 2130 B-2001    |
| 102.130 001 | Specific Conductance     | SM 2510 B-1997    |
| 102.175 001 | Chlorine, Free           | SM 4500-Cl G-2000 |
| 102.175 002 | Chlorine, Total Residual | SM 4500-Cl G-2000 |
| 102.203 001 | Hydrogen Ion (pH)        | SM 4500-H+ B-2000 |

**Field of Testing: 107 - Microbiological Methods for Non-Potable Water and Sewage Sludge**

|             |                              |                  |
|-------------|------------------------------|------------------|
| 107.001 001 | Total Coliform (Enumeration) | SM 9221 B,C-2006 |
| 107.001 002 | Fecal Coliform (Enumeration) | SM 9221 C,E-2006 |
| 107.001 003 | E. coli (Enumeration)        | SM 9221 C,F-2006 |
| 107.015 001 | E. coli (Enumeration)        | Colilert 18      |

**Field of Testing: 108 - Inorganic Constituents in Non-Potable Water**

|             |                        |                           |
|-------------|------------------------|---------------------------|
| 108.017 002 | Chloride               | EPA 300.0 (1993 Rev. 2.1) |
| 108.017 003 | Fluoride               | EPA 300.0 (1993 Rev. 2.1) |
| 108.017 004 | Nitrate (as N)         | EPA 300.0 (1993 Rev. 2.1) |
| 108.017 005 | Nitrate-Nitrite (as N) | EPA 300.0 (1993 Rev. 2.1) |
| 108.017 006 | Nitrite (as N)         | EPA 300.0 (1993 Rev. 2.1) |
| 108.017 007 | Phosphate,Ortho (as P) | EPA 300.0 (1993 Rev. 2.1) |
| 108.017 008 | Sulfate (as SO4)       | EPA 300.0 (1993 Rev. 2.1) |

As of 6/1/2020 , this list supersedes all previous lists for this certificate number.  
Customers: Please verify the current accreditation standing with the State.

|         |     |                           |                   |
|---------|-----|---------------------------|-------------------|
| 108.055 | 001 | Color                     | SM 2120 B-2011    |
| 108.059 | 001 | Turbidity                 | SM 2130 B-2011    |
| 108.069 | 001 | Specific Conductance      | SM 2510 B-2011    |
| 108.137 | 001 | Hydrogen Ion (pH)         | SM 4500-H+ B-2011 |
| 108.207 | 001 | Biochemical Oxygen Demand | SM 5210 B-2011    |
| 108.207 | 002 | Carbonaceous BOD          | SM 5210 B-2011    |