

State of Nevada

Department of Conservation and Natural Resources
Division of Environmental Protection

Certifies that

BSK Associates

1414 Stanislaus Street Fresno, CA 93706-

***Having met the requirements of the
Nevada Administrative Code: NAC 445A***

*is hereby approved to perform the analyses as indicated on the most recently issued
parameter list which must accompany this certificate to be valid. It is the certified
laboratory's responsibility to provide their client the most current certified
parameter list. Contact LCP to verify certification status.*

Expiration Date: 7/31/2019

Certificate Number: CA000792019-1

Digitally signed
by Don LaFara
Date: 2018.09.28
14:06:56 -07'00'



Donald LaFara, Program Manager, 09/28/2018

State of Nevada Department of Conservation and Natural Resources
 Division of Environmental Protection
 Laboratory Scope of Accreditation

EPA Number: CA00079 **Attachment to Certificate Number: CA000792019-1** **Expiration Date: 7/31/2019**

BSK Associates

1414 Stanislaus Street Fresno, CA 93706-

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 200.7	Aluminum	8/1/2018	7/31/2019	Certified
EPA 200.7	Barium	8/1/2018	7/31/2019	Certified
EPA 200.7	Boron	8/1/2018	7/31/2019	Certified
EPA 200.7	Calcium	8/1/2018	7/31/2019	Certified
EPA 200.7	Copper	8/1/2018	7/31/2019	Certified
EPA 200.7	Iron	8/1/2018	7/31/2019	Certified
EPA 200.7	Magnesium	8/1/2018	7/31/2019	Certified
EPA 200.7	Manganese	8/1/2018	7/31/2019	Certified
EPA 200.7	Potassium	8/1/2018	7/31/2019	Certified
EPA 200.7	Silica as SiO2	8/1/2018	7/31/2019	Certified
EPA 200.7	Silver	8/1/2018	7/31/2019	Certified
EPA 200.7	Sodium	8/1/2018	7/31/2019	Certified
EPA 200.7	Zinc	8/1/2018	7/31/2019	Certified
EPA 200.8	Antimony	8/1/2018	7/31/2019	Certified
EPA 200.8	Arsenic	8/1/2018	7/31/2019	Certified
EPA 200.8	Barium	8/1/2018	7/31/2019	Certified
EPA 200.8	Beryllium	8/1/2018	7/31/2019	Certified
EPA 200.8	Cadmium	8/1/2018	7/31/2019	Certified
EPA 200.8	Chromium	8/1/2018	7/31/2019	Certified
EPA 200.8	Copper	8/1/2018	7/31/2019	Certified
EPA 200.8	Lead	8/1/2018	7/31/2019	Certified
EPA 200.8	Mercury	8/1/2018	7/31/2019	Certified
EPA 200.8	Nickel	8/1/2018	7/31/2019	Certified
EPA 200.8	Selenium	8/1/2018	7/31/2019	Certified
EPA 200.8	Silver	8/1/2018	7/31/2019	Certified
EPA 200.8	Thallium	8/1/2018	7/31/2019	Certified
EPA 200.8	Uranium (Nat.) Activity, Calculated	8/1/2018	7/31/2019	Certified
EPA 200.8	Uranium (Nat.) Total Mass	8/1/2018	7/31/2019	Certified
EPA 200.8	Zinc	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: CA00079

BSK Associates

1414 Stanislaus Street Fresno, CA 93706-

Attachment to Certificate Number: CA000792019-1

Expiration Date: 7/31/2019

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 218.7	Chromium VI	8/1/2018	7/31/2019	Certified
EPA 300.0	Bromide	8/1/2018	7/31/2019	Certified
EPA 300.0	Chloride	8/1/2018	7/31/2019	Certified
EPA 300.0	Fluoride	8/1/2018	7/31/2019	Certified
EPA 300.0	Nitrate as N	8/1/2018	7/31/2019	Certified
EPA 300.0	Nitrite as N	8/1/2018	7/31/2019	Certified
EPA 300.0	Orthophosphate as P	8/1/2018	7/31/2019	Certified
EPA 300.0	Sulfate	8/1/2018	7/31/2019	Certified
EPA 300.1	Bromide	8/1/2018	7/31/2019	Certified
EPA 300.1	Chlorate	8/1/2018	7/31/2019	Certified
EPA 300.1	Chlorite	8/1/2018	7/31/2019	Certified
EPA 314.0	Perchlorate	8/1/2018	7/31/2019	Certified
EPA 317.0	Bromate	8/1/2018	7/31/2019	Certified
EPA 504.1	1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane)	8/1/2018	7/31/2019	Certified
EPA 504.1	1,2-Dibromoethane (EDB, Ethylene dibromide)	8/1/2018	7/31/2019	Certified
EPA 505	Alachlor	8/1/2018	7/31/2019	Certified
EPA 505	Aroclor-1016 (PCB-1016)	8/1/2018	7/31/2019	Certified
EPA 505	Aroclor-1221 (PCB-1221)	8/1/2018	7/31/2019	Certified
EPA 505	Aroclor-1232 (PCB-1232)	8/1/2018	7/31/2019	Certified
EPA 505	Aroclor-1242 (PCB-1242)	8/1/2018	7/31/2019	Certified
EPA 505	Aroclor-1248 (PCB-1248)	8/1/2018	7/31/2019	Certified
EPA 505	Aroclor-1254 (PCB-1254)	8/1/2018	7/31/2019	Certified
EPA 505	Aroclor-1260 (PCB-1260)	8/1/2018	7/31/2019	Certified
EPA 505	Atrazine	8/1/2018	7/31/2019	Certified
EPA 505	Chlordane (tech.)	8/1/2018	7/31/2019	Certified
EPA 505	Endrin	8/1/2018	7/31/2019	Certified
EPA 505	gamma-BHC (Lindane)	8/1/2018	7/31/2019	Certified
EPA 505	Heptachlor	8/1/2018	7/31/2019	Certified
EPA 505	Heptachlor epoxide	8/1/2018	7/31/2019	Certified
EPA 505	Hexachlorobenzene	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation

EPA Number: CA00079

BSK Associates

1414 Stanislaus Street Fresno, CA 93706-

Attachment to Certificate Number: CA000792019-1

Expiration Date: 7/31/2019

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 505	Hexachlorocyclopentadiene	8/1/2018	7/31/2019	Certified
EPA 505	Methoxychlor	8/1/2018	7/31/2019	Certified
EPA 505	PCB Aroclor Identification (PCBs as Aroclors)	8/1/2018	7/31/2019	Certified
EPA 505	Simazine	8/1/2018	7/31/2019	Certified
EPA 505	Toxaphene (Chlorinated camphene)	8/1/2018	7/31/2019	Certified
EPA 515.4	2,4-D	8/1/2018	7/31/2019	Certified
EPA 515.4	Dalapon	8/1/2018	7/31/2019	Certified
EPA 515.4	Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	8/1/2018	7/31/2019	Certified
EPA 515.4	Pentachlorophenol	8/1/2018	7/31/2019	Certified
EPA 515.4	Picloram	8/1/2018	7/31/2019	Certified
EPA 515.4	Silvex (2,4,5-TP)	8/1/2018	7/31/2019	Certified
EPA 524.2	1,1,1-Trichloroethane	8/1/2018	7/31/2019	Certified
EPA 524.2	1,1,2-Trichloroethane	8/1/2018	7/31/2019	Certified
EPA 524.2	1,1-Dichloroethylene	8/1/2018	7/31/2019	Certified
EPA 524.2	1,2,4-Trichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 524.2	1,2-Dichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 524.2	1,2-Dichloroethane	8/1/2018	7/31/2019	Certified
EPA 524.2	1,2-Dichloropropane	8/1/2018	7/31/2019	Certified
EPA 524.2	1,4-Dichlorobenzene	8/1/2018	7/31/2019	Certified
EPA 524.2	Benzene	8/1/2018	7/31/2019	Certified
EPA 524.2	Bromodichloromethane	8/1/2018	7/31/2019	Certified
EPA 524.2	Bromoform	8/1/2018	7/31/2019	Certified
EPA 524.2	Carbon tetrachloride	8/1/2018	7/31/2019	Certified
EPA 524.2	Chlorobenzene	8/1/2018	7/31/2019	Certified
EPA 524.2	Chlorodibromomethane (Dibromochloromethane)	8/1/2018	7/31/2019	Certified
EPA 524.2	Chloroform	8/1/2018	7/31/2019	Certified
EPA 524.2	cis-1,2-Dichloroethylene	8/1/2018	7/31/2019	Certified
EPA 524.2	Ethylbenzene	8/1/2018	7/31/2019	Certified
EPA 524.2	Methylene chloride (Dichloromethane)	8/1/2018	7/31/2019	Certified
EPA 524.2	Styrene	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: CA00079 **Attachment to Certificate Number: CA000792019-1** **Expiration Date: 7/31/2019**

BSK Associates

1414 Stanislaus Street Fresno, CA 93706-

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 524.2	Tetrachloroethylene (Perchloroethylene)	8/1/2018	7/31/2019	Certified
EPA 524.2	Toluene	8/1/2018	7/31/2019	Certified
EPA 524.2	Total trihalomethanes	8/1/2018	7/31/2019	Certified
EPA 524.2	trans-1,2-Dichloroethylene	8/1/2018	7/31/2019	Certified
EPA 524.2	Trichloroethene (Trichloroethylene)	8/1/2018	7/31/2019	Certified
EPA 524.2	Vinyl chloride	8/1/2018	7/31/2019	Certified
EPA 524.2	Xylene (total)	8/1/2018	7/31/2019	Certified
EPA 525.3	Alachlor	8/1/2018	7/31/2019	Certified
EPA 525.3	Atrazine	8/1/2018	7/31/2019	Certified
EPA 525.3	Benzo(a)pyrene	8/1/2018	7/31/2019	Certified
EPA 525.3	bis(2-Ethylhexyl)adipate	8/1/2018	7/31/2019	Certified
EPA 525.3	bis(2-Ethylhexyl)phthalate,(DEHP, Di(2-ethylhexyl) phthalate)	8/1/2018	7/31/2019	Certified
EPA 525.3	Metolachlor	8/1/2018	7/31/2019	Certified
EPA 525.3	Simazine	8/1/2018	7/31/2019	Certified
EPA 531.1	Carbofuran (Furaden)	8/1/2018	7/31/2019	Certified
EPA 531.1	Oxamyl	8/1/2018	7/31/2019	Certified
EPA 537	Perfluorobutane sulfonate (PFBS, perfluorobutane sulfonic acid)	8/1/2018	7/31/2019	Certified
EPA 537	Perfluoroheptanoic acid (PFHPA)	8/1/2018	7/31/2019	Certified
EPA 537	Perfluorohexane sulfonate (PFHXS)	8/1/2018	7/31/2019	Certified
EPA 537	Perfluorononanoic acid (PFNA)	8/1/2018	7/31/2019	Certified
EPA 537	Perfluorooctane sulfonate (PFOS)	8/1/2018	7/31/2019	Certified
EPA 547	Perfluorooctanoic acid (PFOA)	8/1/2018	7/31/2019	Certified
EPA 548.1	Glyphosate	8/1/2018	7/31/2019	Certified
EPA 549.2	Endothall	8/1/2018	7/31/2019	Certified
EPA 549.2	Diquat	8/1/2018	7/31/2019	Certified
EPA 552.3	Bromoacetic acid (Monobromoacetic acid, MBAA)	8/1/2018	7/31/2019	Certified
EPA 552.3	Bromochloroacetic acid (BCAA)	8/1/2018	7/31/2019	Certified
EPA 552.3	Chloroacetic acid (Monochloroacetic acid, MCAA)	8/1/2018	7/31/2019	Certified
EPA 552.3	Dibromoacetic acid (DBAA)	8/1/2018	7/31/2019	Certified
EPA 552.3	Dichloroacetic acid (DCAA)	8/1/2018	7/31/2019	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation

EPA Number: CA00079 **Attachment to Certificate Number: CA000792019-1** **Expiration Date: 7/31/2019**

BSK Associates

1414 Stanislaus Street Fresno, CA 93706-

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 552.3	Haloacetic acids (HAA5)	8/1/2018	7/31/2019	Certified
EPA 552.3	Trichloroacetic acid (TCAA)	8/1/2018	7/31/2019	Certified
SM 2120 B	Color	8/1/2018	7/31/2019	Certified
SM 2130 B	Turbidity	8/1/2018	7/31/2019	Certified
SM 2320 B	Alkalinity as CaCO3	8/1/2018	7/31/2019	Certified
SM 2330 B	Corrosivity (langlier index)	8/1/2018	7/31/2019	Certified
SM 2340 B	Hardness by calculation	8/1/2018	7/31/2019	Certified
SM 2510 B	Conductivity	8/1/2018	7/31/2019	Certified
SM 2540 C	Residue-filterable (TDS)	8/1/2018	7/31/2019	Certified
SM 4500-CN ⁻ E	Cyanide	8/1/2018	7/31/2019	Certified
SM 4500-H+ B	pH	8/1/2018	7/31/2019	Certified
SM 4500-P E	Orthophosphate as P	8/1/2018	7/31/2019	Certified
SM 5310 C	Dissolved organic carbon (DOC)	8/1/2018	7/31/2019	Certified
SM 5310 C	Total organic carbon	8/1/2018	7/31/2019	Certified
SM 5540 C	Surfactants - MBAS	8/1/2018	7/31/2019	Certified
SM 5910 B	UV 254	8/1/2018	7/31/2019	Certified

Discipline: Radiochemistry

SM 7110 C (GPC)	Gross-alpha	8/1/2018	7/31/2019	Certified
-----------------	-------------	----------	-----------	-----------

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.