

State of Nevada

Department of Conservation and Natural Resources
Division of Environmental Protection

Certifies that
BSK Associates
687 N. Laverne Ave. Fresno, CA 93727

Having met the requirements of the
Nevada Administrative Code: NAC 445A

is hereby approved to perform the analyses as indicated on the most recently issued parameter list which must accompany this certificate to be valid. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.



Expiration Date: 7/31/2024

Jasmine Curiel

Digitally signed by Jasmine
Curiel
Date: 2023.08.22 07:03:02
-07'00'

Certificate Number: CA000792024-02

Jasmine Curiel, Program Manager, 08/22/2023

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: CA00079

Attachment to Certificate Number: CA000792024-2

Expiration Date: 7/31/2024

BSK Associates

687 N. Laverne Ave. Fresno, CA 93727

Matrix: **SDWA (Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
Discipline: Chemistry				
EPA 200.7	Aluminum	8/1/2023	7/31/2024	Certified
EPA 200.7	Barium	8/1/2023	7/31/2024	Certified
EPA 200.7	Boron	8/1/2023	7/31/2024	Certified
EPA 200.7	Calcium	8/1/2023	7/31/2024	Certified
EPA 200.7	Copper	8/1/2023	7/31/2024	Certified
EPA 200.7	Iron	8/1/2023	7/31/2024	Certified
EPA 200.7	Magnesium	8/1/2023	7/31/2024	Certified
EPA 200.7	Manganese	8/1/2023	7/31/2024	Certified
EPA 200.7	Potassium	8/1/2023	7/31/2024	Certified
EPA 200.7	Silica as SiO2	8/1/2023	7/31/2024	Certified
EPA 200.7	Silver	8/1/2023	7/31/2024	Certified
EPA 200.7	Sodium	8/1/2023	7/31/2024	Certified
EPA 200.7	Zinc	8/1/2023	7/31/2024	Certified
EPA 200.8	Antimony	8/1/2023	7/31/2024	Certified
EPA 200.8	Arsenic	8/1/2023	7/31/2024	Certified
EPA 200.8	Barium	8/1/2023	7/31/2024	Certified
EPA 200.8	Beryllium	8/1/2023	7/31/2024	Certified
EPA 200.8	Cadmium	8/1/2023	7/31/2024	Certified
EPA 200.8	Chromium	8/1/2023	7/31/2024	Certified
EPA 200.8	Copper	8/1/2023	7/31/2024	Certified
EPA 200.8	Lead	8/1/2023	7/31/2024	Certified
EPA 200.8	Mercury	8/1/2023	7/31/2024	Certified
EPA 200.8	Nickel	8/1/2023	7/31/2024	Certified
EPA 200.8	Selenium	8/1/2023	7/31/2024	Certified
EPA 200.8	Silver	8/1/2023	7/31/2024	Certified
EPA 200.8	Thallium	8/1/2023	7/31/2024	Certified
EPA 200.8	Uranium (Nat.) Activity, Calculated	8/1/2023	7/31/2024	Certified
EPA 200.8	Uranium (Nat.) Total Mass	8/1/2023	7/31/2024	Certified
EPA 200.8	Zinc	8/1/2023	7/31/2024	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: CA00079

Attachment to Certificate Number: CA000792024-2

Expiration Date: 7/31/2024

BSK Associates

687 N. Laverne Ave. Fresno, CA 93727

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 218.7	Chromium VI	8/1/2023	7/31/2024	Certified
EPA 300.0	Bromide	8/1/2023	7/31/2024	Certified
EPA 300.0	Chloride	8/1/2023	7/31/2024	Certified
EPA 300.0	Fluoride	8/1/2023	7/31/2024	Certified
EPA 300.0	Nitrate as N	8/1/2023	7/31/2024	Certified
EPA 300.0	Nitrite as N	8/1/2023	7/31/2024	Certified
EPA 300.0	Orthophosphate as P	8/1/2023	7/31/2024	Certified
EPA 300.0	Sulfate	8/1/2023	7/31/2024	Certified
EPA 300.1	Bromide	8/1/2023	7/31/2024	Certified
EPA 300.1	Chlorate	8/1/2023	7/31/2024	Certified
EPA 300.1	Chlorite	8/1/2023	7/31/2024	Certified
EPA 314.0	Perchlorate	8/1/2023	7/31/2024	Certified
EPA 317.0	Bromate	8/1/2023	7/31/2024	Certified
EPA 504.1	1,2-Dibromo-3-chloropropane (DBCP, Dibromochloropropane)	8/1/2023	7/31/2024	Certified
EPA 504.1	1,2-Dibromoethane (EDB, Ethylene dibromide)	8/1/2023	7/31/2024	Certified
EPA 505	Alachlor	8/1/2023	7/31/2024	Certified
EPA 505	Aroclor-1016 (PCB-1016)	8/1/2023	7/31/2024	Certified
EPA 505	Aroclor-1221 (PCB-1221)	8/1/2023	7/31/2024	Certified
EPA 505	Aroclor-1232 (PCB-1232)	8/1/2023	7/31/2024	Certified
EPA 505	Aroclor-1242 (PCB-1242)	8/1/2023	7/31/2024	Certified
EPA 505	Aroclor-1248 (PCB-1248)	8/1/2023	7/31/2024	Certified
EPA 505	Aroclor-1254 (PCB-1254)	8/1/2023	7/31/2024	Certified
EPA 505	Aroclor-1260 (PCB-1260)	8/1/2023	7/31/2024	Certified
EPA 505	Atrazine	8/1/2023	7/31/2024	Certified
EPA 505	Chlordane (tech.)	8/1/2023	7/31/2024	Certified
EPA 505	Endrin	8/1/2023	7/31/2024	Certified
EPA 505	gamma-BHC (Lindane)	8/1/2023	7/31/2024	Certified
EPA 505	Heptachlor	8/1/2023	7/31/2024	Certified
EPA 505	Heptachlor epoxide	8/1/2023	7/31/2024	Certified
EPA 505	Hexachlorobenzene	8/1/2023	7/31/2024	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: CA00079

Attachment to Certificate Number: CA000792024-2

Expiration Date: 7/31/2024

BSK Associates

687 N. Laverne Ave. Fresno, CA 93727

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 505	Hexachlorocyclopentadiene	8/1/2023	7/31/2024	Certified
EPA 505	Methoxychlor	8/1/2023	7/31/2024	Certified
EPA 505	PCB Aroclor Identification (PCBs as Aroclors)	8/1/2023	7/31/2024	Certified
EPA 505	Simazine	8/1/2023	7/31/2024	Certified
EPA 505	Toxaphene (Chlorinated camphene)	8/1/2023	7/31/2024	Certified
EPA 515.4	2,4-D	8/1/2023	7/31/2024	Certified
EPA 515.4	Dalapon	8/1/2023	7/31/2024	Certified
EPA 515.4	Dicamba	8/1/2023	7/31/2024	Certified
EPA 515.4	Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	8/1/2023	7/31/2024	Certified
EPA 515.4	Pentachlorophenol	8/1/2023	7/31/2024	Certified
EPA 515.4	Picloram	8/1/2023	7/31/2024	Certified
EPA 515.4	Silvex (2,4,5-TP)	8/1/2023	7/31/2024	Certified
EPA 524.2	1,1,1-Trichloroethane	8/1/2023	7/31/2024	Certified
EPA 524.2	1,1,2-Trichloroethane	8/1/2023	7/31/2024	Certified
EPA 524.2	1,1-Dichloroethylene	8/1/2023	7/31/2024	Certified
EPA 524.2	1,2,4-Trichlorobenzene	8/1/2023	7/31/2024	Certified
EPA 524.2	1,2-Dichlorobenzene	8/1/2023	7/31/2024	Certified
EPA 524.2	1,2-Dichloroethane	8/1/2023	7/31/2024	Certified
EPA 524.2	1,2-Dichloropropane	8/1/2023	7/31/2024	Certified
EPA 524.2	1,4-Dichlorobenzene	8/1/2023	7/31/2024	Certified
EPA 524.2	Benzene	8/1/2023	7/31/2024	Certified
EPA 524.2	Bromodichloromethane	8/1/2023	7/31/2024	Certified
EPA 524.2	Bromoform	8/1/2023	7/31/2024	Certified
EPA 524.2	Carbon tetrachloride	8/1/2023	7/31/2024	Certified
EPA 524.2	Chlorobenzene	8/1/2023	7/31/2024	Certified
EPA 524.2	Chlorodibromomethane (Dibromochloromethane)	8/1/2023	7/31/2024	Certified
EPA 524.2	Chloroform	8/1/2023	7/31/2024	Certified
EPA 524.2	cis-1,2-Dichloroethylene	8/1/2023	7/31/2024	Certified
EPA 524.2	Ethylbenzene	8/1/2023	7/31/2024	Certified
EPA 524.2	Methylene chloride (Dichloromethane)	8/1/2023	7/31/2024	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: CA00079

Attachment to Certificate Number: CA000792024-2

Expiration Date: 7/31/2024

BSK Associates

687 N. Laverne Ave. Fresno, CA 93727

Matrix: SDWA (Potable Water)

Method	Analyte	Start Date	Date Expires	Status
EPA 524.2	Styrene	8/1/2023	7/31/2024	Certified
EPA 524.2	Tetrachloroethylene (Perchloroethylene)	8/1/2023	7/31/2024	Certified
EPA 524.2	Toluene	8/1/2023	7/31/2024	Certified
EPA 524.2	Total trihalomethanes	8/1/2023	7/31/2024	Certified
EPA 524.2	trans-1,2-Dichloroethylene	8/1/2023	7/31/2024	Certified
EPA 524.2	Trichloroethene (Trichloroethylene)	8/1/2023	7/31/2024	Certified
EPA 524.2	Vinyl chloride	8/1/2023	7/31/2024	Certified
EPA 524.2	Xylene (total)	8/1/2023	7/31/2024	Certified
EPA 525.3	Alachlor	8/1/2023	7/31/2024	Certified
EPA 525.3	Atrazine	8/1/2023	7/31/2024	Certified
EPA 525.3	Benzo(a)pyrene	8/1/2023	7/31/2024	Certified
EPA 525.3	bis(2-Ethylhexyl)adipate	8/1/2023	7/31/2024	Certified
EPA 525.3	bis(2-Ethylhexyl)phthalate,(DEHP, Di(2-ethylhexyl) phthalate)	8/1/2023	7/31/2024	Certified
EPA 525.3	Metolachlor	8/1/2023	7/31/2024	Certified
EPA 525.3	Simazine	8/1/2023	7/31/2024	Certified
EPA 531.1	Carbofuran (Furaden)	8/1/2023	7/31/2024	Certified
EPA 531.1	Oxamyl	8/1/2023	7/31/2024	Certified
EPA 533	11-Chloroeicosafuoro-3-oxaundecane-1-sulfonic acid (11-Cl-PF3OUdS)	8/1/2023	7/31/2024	Certified
EPA 533	1H, 1H, 2H, 2H-Perfluorodecanesulfonic acid (8:2 FTS)	8/1/2023	7/31/2024	Certified
EPA 533	1H, 1H, 2H, 2H-Perfluorohexanesulfonic acid (4:2 FTS)	8/1/2023	7/31/2024	Certified
EPA 533	1H, 1H, 2H, 2H-Perfluorooctanesulfonic acid (6:2 FTS)	8/1/2023	7/31/2024	Certified
EPA 533	4,8-Dioxa-3H-perfluorononanoic acid (DONA)	8/1/2023	7/31/2024	Certified
EPA 533	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9-Cl-PF3ONS)	8/1/2023	7/31/2024	Certified
EPA 533	Hexafluoropropylene oxide dimer acid (HFPO-DA)	8/1/2023	7/31/2024	Certified
EPA 533	Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	8/1/2023	7/31/2024	Certified
EPA 533	Perfluoro(2-ethoxyethane)sulfonic acid (PFEEESA)	8/1/2023	7/31/2024	Certified
EPA 533	Perfluoro-3-methoxypropanoic acid (PFMPA)	8/1/2023	7/31/2024	Certified
EPA 533	Perfluoro-4-methoxybutanoic acid (PFMBA)	8/1/2023	7/31/2024	Certified
EPA 533	Perfluorobutane sulfonic acid (PFBS)	8/1/2023	7/31/2024	Certified
EPA 533	Perfluorobutanoic acid (PFBA)	8/1/2023	7/31/2024	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: CA00079

Attachment to Certificate Number: CA000792024-2

Expiration Date: 7/31/2024

BSK Associates

687 N. Laverne Ave. Fresno, CA 93727

Matrix: **SDWA (Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 533	Perfluorodecanoic acid (PFDA)	8/1/2023	7/31/2024	Certified
EPA 533	Perfluorododecanoic acid (PFDoA)	8/1/2023	7/31/2024	Certified
EPA 533	Perfluoroheptane sulfonic Acid (PFHpS)	8/1/2023	7/31/2024	Certified
EPA 533	Perfluoroheptanoic acid (PFHpA)	8/1/2023	7/31/2024	Certified
EPA 533	Perfluorohexanesulfonic acid (PFHxS)	8/1/2023	7/31/2024	Certified
EPA 533	Perfluorohexanoic acid (PFHxA)	8/1/2023	7/31/2024	Certified
EPA 533	Perfluorononanoic acid (PFNA)	8/1/2023	7/31/2024	Certified
EPA 533	Perfluorooctanesulfonic acid (PFOS)	8/1/2023	7/31/2024	Certified
EPA 533	Perfluorooctanoic acid (PFOA)	8/1/2023	7/31/2024	Certified
EPA 533	Perfluoropentane sulfonic acid (PFPeS)	8/1/2023	7/31/2024	Certified
EPA 533	Perfluoropentanoic acid (PFPeA)	8/1/2023	7/31/2024	Certified
EPA 533	Perfluoroundecanoic acid (PFUnA)	8/1/2023	7/31/2024	Certified
EPA 537.1	11-Chloroeicosafuoro-3-oxaundecane-1-sulfonic acid (11-Cl-PF3OUdS)	8/1/2023	7/31/2024	Certified
EPA 537.1	4,8-Dioxa-3H-perfluorononanoic acid (DONA)	8/1/2023	7/31/2024	Certified
EPA 537.1	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9-Cl-PF3ONS)	8/1/2023	7/31/2024	Certified
EPA 537.1	Hexafluoropropylene oxide dimer acid (HFPO-DA)	8/1/2023	7/31/2024	Certified
EPA 537.1	N-Ethylperfluorooctane sulfonamido acetic acid (EtFOSAA)	8/1/2023	7/31/2024	Certified
EPA 537.1	N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	8/1/2023	7/31/2024	Certified
EPA 537.1	Perfluorobutane sulfonic acid (PFBS)	8/1/2023	7/31/2024	Certified
EPA 537.1	Perfluorodecanoic acid (PFDA)	8/1/2023	7/31/2024	Certified
EPA 537.1	Perfluorododecanoic acid (PFDoA)	8/1/2023	7/31/2024	Certified
EPA 537.1	Perfluoroheptanoic acid (PFHpA)	8/1/2023	7/31/2024	Certified
EPA 537.1	Perfluorohexanesulfonic acid (PFHxS)	8/1/2023	7/31/2024	Certified
EPA 537.1	Perfluorohexanoic acid (PFHxA)	8/1/2023	7/31/2024	Certified
EPA 537.1	Perfluorononanoic acid (PFNA)	8/1/2023	7/31/2024	Certified
EPA 537.1	Perfluorooctanesulfonic acid (PFOS)	8/1/2023	7/31/2024	Certified
EPA 537.1	Perfluorooctanoic acid (PFOA)	8/1/2023	7/31/2024	Certified
EPA 537.1	Perfluorotetradecanoic acid (PFTA)	8/1/2023	7/31/2024	Certified
EPA 537.1	Perfluorotridecanoic acid (PFTrDA)	8/1/2023	7/31/2024	Certified
EPA 537.1	Perfluoroundecanoic acid (PFUnA)	8/1/2023	7/31/2024	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.

**State of Nevada Department of Conservation and Natural Resources
Division of Environmental Protection
Laboratory Scope of Accreditation**

EPA Number: CA00079

Attachment to Certificate Number: CA000792024-2

Expiration Date: 7/31/2024

BSK Associates

687 N. Laverne Ave. Fresno, CA 93727

Matrix: **SDWA (Potable Water)**

Method	Analyte	Start Date	Date Expires	Status
EPA 547	Glyphosate	8/1/2023	7/31/2024	Certified
EPA 548.1	Endothall	8/1/2023	7/31/2024	Certified
EPA 549.2	Diquat	8/1/2023	7/31/2024	Certified
EPA 552.3	Bromoacetic acid (Monobromoacetic acid, MBAA)	8/1/2023	7/31/2024	Certified
EPA 552.3	Bromochloroacetic acid (BCAA)	8/1/2023	7/31/2024	Certified
EPA 552.3	Chloroacetic acid (Monochloroacetic acid, MCAA)	8/1/2023	7/31/2024	Certified
EPA 552.3	Dibromoacetic acid (DBAA)	8/1/2023	7/31/2024	Certified
EPA 552.3	Dichloroacetic acid (DCAA)	8/1/2023	7/31/2024	Certified
EPA 552.3	Haloacetic acids (HAA5)	8/1/2023	7/31/2024	Certified
EPA 552.3	Trichloroacetic acid (TCAA)	8/1/2023	7/31/2024	Certified
SM 2120 B	Color	8/1/2023	7/31/2024	Certified
SM 2130 B	Turbidity	8/1/2023	7/31/2024	Certified
SM 2320 B	Alkalinity as CaCO ₃	8/1/2023	7/31/2024	Certified
SM 2330 B	Corrosivity (langlier index)	8/1/2023	7/31/2024	Certified
SM 2340 B	Hardness by calculation	8/1/2023	7/31/2024	Certified
SM 2510 B	Conductivity	8/1/2023	7/31/2024	Certified
SM 2540 C	Residue-filterable (TDS)	8/1/2023	7/31/2024	Certified
SM 4500-CN ⁻ C	Cyanide	8/1/2023	7/31/2024	Certified
SM 4500-CN ⁻ E	Cyanide	8/1/2023	7/31/2024	Certified
SM 4500-CN ⁻ G,E	Cyanide, Amenable	8/1/2023	7/31/2024	Certified
SM 4500-H+ B	pH	8/1/2023	7/31/2024	Certified
SM 4500-P E	Orthophosphate as P	8/1/2023	7/31/2024	Certified
SM 5310 C	Dissolved Organic Carbon (DOC)	8/1/2023	7/31/2024	Certified
SM 5310 C	Total Organic Carbon	8/1/2023	7/31/2024	Certified
SM 5540 C	Surfactants - MBAS	8/1/2023	7/31/2024	Certified
SM 5910 B	UV 254	8/1/2023	7/31/2024	Certified

Disclaimer: A laboratory that is certified or approved has established that they have the ability to implement a quality control program in accordance with the appropriate Federal or State regulations or statutes. It is the certified laboratory's responsibility to provide their client the most current certified parameter list. Contact LCP to verify certification status.